

**Notice of Allowability**

Application No.

09/994,539

Applicant(s)

WATANABE, TAKASHI

Examiner

Yogesh K. Aggarwal

Art Unit

2615

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 10/13/2005.
2. ☒ The allowed claim(s) is/are 27, 28(The claims have been renumbered as 1,2 respectively).
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some\* c) ☐ None of the:
- ☒ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☒ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 01/11/2006.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 11/27/2001
- ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
- ☒ Examiner's Amendment/Comment
- ☒ Examiner's Statement of Reasons for Allowance
- ☐ Other \_\_\_\_\_

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with William Daley on 01/11/2006.

2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: Figures 12-17 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.
3. The application has been amended as follows:
  - a. Claim 28: line 1, change "A color solid-state imaging apparatus according to claim 1, wherein:" to "A color solid-state imaging apparatus according to claim **27**, wherein:"

### ***Allowable Subject Matter***

1. Claims 27, 28 are allowed.
2. The following is an examiner's statement of reasons for allowance: The prior art of record, neither anticipates nor renders obvious the following limitations as claimed:

Art Unit: 2615

[Claim 27]: A color solid-state imaging apparatus in which a green color (G), a red color (R) and a blue color (B) in a Bayer array are respectively provided in a pixel unit on a plurality of pixel devices provided in an imaging area;

**wherein the color solid-state imaging apparatus is configured to perform at least one of a reading operation in a 1/2-decimated manner for 1/2 of the pixels of the imaging area, a reading operation in a 1/4-decimated manner for 1/4 of the pixels of the imaging area, a reading operation in a 1/8-decimated manner for 1/8 of the pixels of the imaging area, a reading operation in a 1/16-decimated manner for 1/16 of the pixels of the imaging area and a reading operation in a 1/18-decimated manner for 1/18 of the pixels of the imaging area so that a G signal has a first spatial resolution with a shape of a first square and each of an R signal and an B signal has a second resolution with a shape of a second square lying within and touching four sides of the first square.**

The following prior art shows the current state of the art in regard to this patent application:

- i) Udagawa et al. (US Patent # 5,880,781) discloses in figure 4 shows a state of the sampling carriers using the color filter of figure 1.
- ii) Yamagami et al. (US Patent # 5,323,233).

### ***Conclusion***


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yogesh K. Aggarwal whose telephone number is (571) 272-7360. The examiner can normally be reached on M-F 9:00AM-5:30PM.

Art Unit: 2615

3. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Ometz can be reached on (571)-272-7593. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
4. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

YKA

January 2, 2005

A handwritten signature in black ink, appearing to read 'David Ometz', with a long horizontal line extending to the right.

DAVID OMETZ  
SUPERVISORY PATENT EXAMINER